

# Contemporary

Modern design, Natural allure

**Panaria**  
ceramica

# P R ( ) T E C T<sup>®</sup>

ANTIMICROBIAL SURFACE

This collection is made with  
the exclusive antimicrobial Protect technology



with MICROBAN<sup>®</sup>

# P R ( ) T E C T ®

Antimicrobial floor and wall coverings with the highest performance



**POWERFUL ACTION**  
*resists microbes and inhibits their growth*



**CONTINUOUS PROTECTION**  
*always active, 24 hours a day, with and without sunlight*



**ETERNAL EFFECTIVENESS**  
*thanks to the technology permanently integrated into the product*

---

with **MICROBAN®**

**PANARIA**group®



**The beauty of  
feeling at home**

---

# A fresh perspective to interior design

---

Introducing Contemporary by Panaria Ceramica, a sophisticated fusion of modern design and natural allure, inspired by the French stone from the Bourgogne region and the rugged landscapes of Nevada. With its clean lines and chic aesthetic, Contemporary brings a fresh perspective to the world of design.



Drawing inspiration  
from the organic  
beauty of natural  
stone

# Redefining contemporary elegance

Crafted from coloured-body porcelain, this series redefines contemporary elegance. Each tile embodies the delicate details of limestone and the irregularity of slate flakes, evoking a sense of modernity and urban charm, perfect for residential and architectural projects seeking solidity and detail.





Durable, practical,  
functional and hygienic:  
porcelain stoneware is  
an unrivalled surface

---



## Adding creativity and movement within your space



**Different formats and cut decors  
create richly nuanced surfaces that  
are dynamic, yet always harmonious**





# Style beyond the home: elegant and sophisticated commercial spaces

Beyond residential spaces, Contemporary finds its place in commercial environments, from boutique hotels to upscale restaurants, where its enduring quality and refined elegance make a lasting impression. With a palette of nature-inspired hues and coordinating accessories, designers can create captivating environments that reflect the essence of their brand, elevating the ambiance of any commercial space.

Vogue Dark Gray Soft 36"x36" Rect - 90x90 cm  
Chic White Soft 24"x48" Rect - 60x120 cm  
Cool Mix Soft 12"x24" Rect - 30x60 cm

# The story continues...



A technical manual to inspire, to explore the entire collection in detail,  
to share ideas and solutions or to look for new ones.



CERAMIC. A SAFE CHOICE.

## Panariagroup Ceramics at their best

Ceramics offer unique and outstanding performance

**SAFE**

**HYGIENIC**

**LONG-LASTING**

**ZERO VOCs**

**IT DOES NOT BURN**

**RESISTANT**

**VERSATILE**

**STABLE**

**RECYCLABLE**

**ENVIRONMENT-FRIENDLY**

Panariagroup stands out for its superior quality products

**HEALTHIER**

*Thanks to the integrated  
Protect® antimicrobial technology*

**EASIER TO CLEAN**

*Thanks to our exclusive  
surface processing techniques*

**MORE VERSATILE AND SUITABLE FOR EVERY USE**

*Thanks to the wide availability of  
high-performance technologies and components  
that allow you to obtain products suitable  
for different uses*

**MORE SUSTAINABLE**

*Thanks to a production process that is  
extremely efficient in terms of compliance  
with environmental standards and consumption  
of water, energy and raw materials*



**20 mm**

## **20 mm porcelain stoneware for outdoor**

20 mm porcelain stoneware has the highest technical performance of any product and is perfect for outdoor spaces, with no risk of breakage. It enables solutions that create seamless continuity between interior and exterior spaces. Resistant to frost and to thermal shock, it also has heightened anti-slip characteristics, maintains its texture and color over time, and is easy to clean. The perfect union between aesthetic quality and high technical performance, guaranteeing limitless durability.

### **RESISTANT AND FUNCTIONAL**

*Superior mechanical strength and slip resistance, highly resistant to heavy loads.*

### **EASY AND VERSATILE**

*Simple to install, remove and reuse; easy to clean.*

*Resistant to vehicular passage when applied to a screed with adhesives.*

### **AN ETERNAL SURFACE**

*The product and its colors remain stable over time and are highly resistant to stains.*

### **SUITABLE FOR ALL OUTDOOR USE**

*Resistant to frost, fire, atmospheric agents, thermal shock, acids, mold and salt.*

*Can be combined with products for interior spaces seamlessly and without interruptions.*

### **ECO-FRIENDLY**

*Manufactured in a way which respects and protects the environment.*

# Contemporary


COLOURED-BODY GLAZED STONEWARE

INTENDED USE: SOFT   LEATHER  

P R ( ) T E C T™

ANTIMICROBIAL SURFACE  
with Microban®

## CHIC WHITE



12"x24" Rect - 30x60 cm  
SOFT



24"x48" Rect - 60x120 cm  
SOFT  
LEATHER




36"x36" Rect - 90x90 cm  
SOFT

## FLOOR VIEW




## EDGE GRAY



12"x24" Rect - 30x60 cm  
SOFT



24"x48" Rect - 60x120 cm  
SOFT  
LEATHER



36"x36" Rect - 90x90 cm  
SOFT

## FLOOR VIEW



# Contemporary


COLOURED-BODY GLAZED STONEWARE

INTENDED USE: SOFT   LEATHER  

P R ( ) T E C T™

ANTIMICROBIAL SURFACE  
with Microban®


## MOD BEIGE



12"x24" Rect - 30x60 cm  
SOFT



24"x48" Rect - 60x120 cm  
SOFT  
LEATHER




36"x36" Rect - 90x90 cm  
SOFT

## FLOOR VIEW




## NU TAUPE



12"x24" Rect - 30x60 cm  
SOFT



24"x48" Rect - 60x120 cm  
SOFT  
LEATHER



36"x36" Rect - 90x90 cm  
SOFT

## FLOOR VIEW



# Contemporary

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: SOFT   LEATHER  

## VOGUE DARK GRAY



|                                                                                     |                                                    |
|-------------------------------------------------------------------------------------|----------------------------------------------------|
|    | <b>12"x24" Rect</b> - 30x60 cm<br>SOFT             |
|    | <b>24"x48" Rect</b> - 60x120 cm<br>SOFT<br>LEATHER |
|  | <b>36"x36" Rect</b> - 90x90 cm<br>SOFT             |

## FLOOR VIEW



P R ( ) T E C T

ANTIMICROBIAL SURFACE  
with Microban®

## ACCESSORY



## WARM MIX

|                                                                                   |                                        |
|-----------------------------------------------------------------------------------|----------------------------------------|
|  | <b>12"x24" Rect</b> - 30x60 cm<br>SOFT |
|-----------------------------------------------------------------------------------|----------------------------------------|

## FLOOR VIEW



## ACCESSORY



## COOL MIX

|                                                                                     |                                        |
|-------------------------------------------------------------------------------------|----------------------------------------|
|  | <b>12"x24" Rect</b> - 30x60 cm<br>SOFT |
|-------------------------------------------------------------------------------------|----------------------------------------|

## FLOOR VIEW




# Contemporary

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: SOFT   LEATHER  

## DECOS



**CHEVRON**  
**CHIC WHITE**  
4"x21" Rect - 10x53 cm  
SOFT  
✚ 9 mm



**CHEVRON**  
**EDGE GRAY**  
4"x21" Rect - 10x53 cm  
SOFT  
✚ 9 mm



**CHEVRON**  
**MOD BEIGE**  
4"x21" Rect - 10x53 cm  
SOFT  
✚ 9 mm



**CHEVRON**  
**NU TAUPE**  
4"x21" Rect - 10x53 cm  
SOFT  
✚ 9 mm



**CHEVRON**  
**VOGUE DARK GRAY**  
4"x21" Rect - 10x53 cm  
SOFT  
✚ 9 mm




**BASKETWEAVE**  
**CHIC WHITE**  
12"x12" Rect - 30x30 cm  
SOFT  
✚ 9 mm



**BASKETWEAVE**  
**EDGE GRAY**  
12"x12" Rect - 30x30 cm  
SOFT  
✚ 9 mm




**BASKETWEAVE**  
**MOD BEIGE**  
12"x12" Rect - 30x30 cm  
SOFT  
✚ 9 mm



**BASKETWEAVE**  
**NU TAUPE**  
12"x12" Rect - 30x30 cm  
SOFT  
✚ 9 mm

## TRIM PIECES



**BULLNOSE**  
4"x24" Rect - 10x60 cm  
SOFT  
✚ 9 mm

All colors available

**CHEVRON:**  
Each box contains 4 right arrows and 4 left arrows

P R ( ) T E C T

ANTIMICROBIAL SURFACE  
with Microban®


# Contemporary

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: ANTI-SLIP 


**20 mm**

CHIC WHITE



**24"x24" Rect** - 60x60 cm  
ANTI-SLIP

MOD BEIGE



**24"x24" Rect** - 60x60 cm  
ANTI-SLIP

P R ( ) T E C T

ANTIMICROBIAL SURFACE  
with Microban®

EDGE GRAY




**24"x24" Rect** - 60x60 cm  
ANTI-SLIP

# Contemporary

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: ANTI-SLIP 


**20 mm** TRIM PIECES



**STEP TREAD**

**12"x24"** - 30x60 cm  
ANTI-SLIP  
± 20 mm


Colors available:  
Chic White - Edge Gray - Mod Beige



**STEP TREAD WITH GROOVES & DRIP FLAP**

**12"x24"** - 30x60 cm  
ANTI-SLIP  
± 20 mm


Colors available:  
Chic White - Edge Gray - Mod Beige



**STEP TREAD WITH BULLNOSE**

**12"x24"** - 30x60 cm  
ANTI-SLIP  
± 20 mm


Colors available:  
Chic White - Edge Gray - Mod Beige



**STEP TREAD CORNER LEFT**

**12"x24"** - 30x60 cm  
ANTI-SLIP  
± 20 mm


Colors available:  
Chic White - Edge Gray - Mod Beige



**STEP TREAD CORNER RIGHT**

**12"x24"** - 30x60 cm  
ANTI-SLIP  
± 20 mm


Colors available:  
Chic White - Edge Gray - Mod Beige



**STEP TREAD WITH BULLNOSE CORNER LEFT**

**12"x24"** - 30x60 cm  
ANTI-SLIP  
± 20 mm


Colors available:  
Chic White - Edge Gray - Mod Beige



**STEP TREAD WITH BULLNOSE CORNER RIGHT**

**12"x24"** - 30x60 cm  
ANTI-SLIP  
± 20 mm

Colors available:  
Chic White - Edge Gray - Mod Beige



**SWIMMING POOL SPECIAL ELEMENTS (A+B)**

**12"x24"** - 30x60 cm  
ANTI-SLIP  
± 20 mm  
**3"x24"** - 7x60 cm  
ANTI-SLIP  
± 20 mm

Colors available:  
Chic White - Edge Gray - Mod Beige

P R ( ) T E C T

ANTIMICROBIAL SURFACE  
with Microban®

TRIM PIECES 20 mm: only full boxes sold, manufactured only upon special request

Contemporary

COLOURED-BODY GLAZED STONEWARE

P R ( ) T E C T<sup>™</sup>  
ANTIMICROBIAL SURFACE  
with MICROBAN<sup>®</sup>

TECHNICAL FEATURES

COLOURED-BODY GLAZED STONEWARE according to ANSI A137.1 (Glazed Porcelain Tiles - P1 Class)

| TECHNICAL FEATURES                                                                                                                  | TEST METHOD              | REQUIRED VALUES                    | AVERAGE VALUES                                              |
|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------|-------------------------------------------------------------|
|  <b>WATER ABSORPTION</b>                           | ASTM C373                | ≤ 0,5%                             | <b>CONFORMS</b>                                             |
|  <b>BREAKING STRENGTH</b>                          | ASTM C648                | ≥ 250 lbf<br>≥ 2500 lbf            | ≥ <b>450 lbf</b> 9 mm<br>≥ <b>2,800 lbf</b> 20 mm           |
|  <b>SURFACE ABRASION RESISTANCE</b>                | ASTM C1027               | As indicated by manufacturer       | <b>PEI 3</b> 9 mm<br><b>PEI 5</b> 20 mm                     |
|  <b>LINEAR THERMAL EXPANSION</b>                   | ASTM C372                | Not Required                       | <b>α ≤ 4,4 x 10<sup>-6</sup> °F<sup>-1</sup></b>            |
|  <b>STAIN RESISTANCE</b>                           | ASTM C1378               | As indicated by manufacturer       | <b>AS REPORTED</b>                                          |
|  <b>CHEMICAL RESISTANCE<sup>(*)</sup></b>          | ASTM C650                | As indicated by manufacturer       | <b>AS REPORTED</b>                                          |
|  <b>FROST RESISTANCE</b>                           | ASTM C1026               | No sample must show visible signs. | <b>CONFORMS</b>                                             |
|  <b>BOND STRENGTH</b>                              | ASTM C482                | ≥ 50 PSI                           | <b>CONFORMS</b>                                             |
|  <b>SLIP RESISTANCE</b>                            | DIN51097                 | -                                  | <b>R11</b> 20 mm Anti-Slip                                  |
|                                                                                                                                     | ANSI A326.3              | Porcelain A326.3                   | <b>IW+</b> 9 mm Soft - Leather<br><b>EW</b> 20 mm Anti-Slip |
|  <b>SHADE VARIATION</b>                           | ANSI A137.1              | V2                                 | <b>V2 Slight Variation</b>                                  |
|  <b>FLAME SPREAD</b>                             | ASTM E84                 | -                                  | <b>Class A</b>                                              |
|  <b>THERMAL CONDUCTIVITY</b>                     | EN 12524                 | -                                  | <b>λ = 1,3 W/m °K / 0.7 BTU/ft h °F</b>                     |
|                                                                                                                                     |                          | -                                  |                                                             |
|  <b>RECOMMENDED MINIMUM JOINT<sup>(**)</sup></b> | RECT (INDOOR)            | -                                  | <b>1/8"</b> - 3.2 mm approx.                                |
|                                                                                                                                     | OUTDOOR                  | -                                  | <b>3/16"</b> - 4.7 mm approx.                               |
|  <b>THICKNESS</b>                                | <b>SIZES</b>             |                                    |                                                             |
|                                                                                                                                     | 12"x24" Rect - 30x60 cm  | -                                  | <b>9 mm</b>                                                 |
|                                                                                                                                     | 24"x48" Rect - 60x120 cm | -                                  | <b>9 mm</b>                                                 |
|                                                                                                                                     | 36"x36" Rect - 90x90 cm  | -                                  | <b>9 mm</b>                                                 |
|                                                                                                                                     | 24"x24" Rect - 60x60cm   | -                                  | <b>20 mm</b>                                                |

(\*) Excluding hydrofluoric acid and its derivatives.  
(\*\*) Grout Joint Recommendations. Per TCNA Handbook, the minimum required joint width for ceramic tile and natural stone is 1/16". Setting ceramic or stone without a grout joint of a least 1/16", often referred to as a butt joint, does not provide sufficient accommodation for dynamic building movement, differential thermal expansion, or allowable variation in fabrication or manufacturing.

PACKINGS AND WEIGHTS

| SIZES                                | SF / CTN | PIECES / CTN | CTN / PALLET | SF / PALLET | LBS / CTN | LBS / PALLET |
|--------------------------------------|----------|--------------|--------------|-------------|-----------|--------------|
| <b>36"x36" Rect</b> Soft             | 17.40    | 2            | 30           | 522.00      | 78.20     | 2,346        |
| <b>24"x48" Rect</b> Soft - Leather   | 15.39    | 2            | 40           | 615.70      | 64.98     | 2,649        |
| <b>12"x24" Rect</b> Soft             | 15.62    | 8            | 32           | 499.84      | 58.20     | 1,912        |
| <b>24"x24" Rect 20 mm</b> Anti-Slip  | 7.79     | 2            | 36           | 280.44      | 69.00     | 2,534        |
| <b>BASKETWEAVE 12"x12" Rect</b> Soft | 4.84     | 5            | 90           | 435.60      | 19.40     | 1,796        |
| <b>CHEVRON 4"x21" Rect</b> Soft      | 4.42     | 8            | 64           | 282.88      | 20.31     | 1,350        |
| <b>BULLNOSE 4"x24" Rect</b> Soft     | 9.82     | 16           | 60           | 589.00      | 39.46     | 2,418        |

Contemporary

COLOURED-BODY GLAZED STONEWARE

P R ( ) T E C T<sup>™</sup>  
ANTIMICROBIAL SURFACE  
with MICROBAN<sup>®</sup>

INTENDED USE

KEY

 **RESIDENTIAL**  
Kitchens, bathrooms, living rooms and other residential environments.

 **LIGHT COMMERCIAL**  
Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and bathrooms.

 **INTENSIVE COMMERCIAL**  
Common areas of shopping centres, hotel foyers, canteens, fast food restaurants, dance clubs, hospitals, schools, museums, places of worship, airports, stations.

 **OUTDOOR**  
Mainly for external areas that require flooring with anti-slip characteristics.

CERTIFICATIONS



0.5% or less water absorption



**PANARIA CERAMICA** is a member of the U.S. Green Building Council: this is an organisation that promotes buildings that are environmentally responsible, profitable and healthy places to live and work. LEED card is available on request.



**GREENGUARD CERTIFICATION**  
This series is made in a production plant that is GOLD GREENGUARD certified.



**100% ECO COMPATIBILE CERAMICA PANARIA**



**40% PANARIA CERAMICA recycled ceramic content [preconsumer material] LEED COMPLIANT CREDIT MR**



Certified by **BUREAU VERITAS**



Certified by UL Environment



**ENVIRONMENTAL PRODUCT DECLARATION**  
This Environmental Product Declaration is provided by Tile Council of North America (TCNA).



P R ( ) T E C T<sup>™</sup>  
ANTIMICROBIAL SURFACE  
with MICROBAN<sup>®</sup>

Product designed in Italy and made in USA

PANARIA AND THE ENVIRONMENT



**100% REUSE OF UNFIRED TILES**  
Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.



**100% REUSE/RECYCLING OF THE INDUSTRIAL WASTE - FIRED TILES**  
The waste-fired tiles are fully reused in the production cycle. In addition, at the end of life, the tiles Panaria can be recycled as materials for substrates for roads and buildings, thus reducing the use of gravel and natural aggregates commonly used in building.



**100% WATER RECYCLING**  
The water used in the production process is recycled. The water demand is strongly reduced by this mean.



**PANARIA PACKING MATERIAL IS 100% RECYCLABLE**  
Carton boxes, plastic packaging materials, wooden pallets, straps, etc.



**100% OF NON CERAMIC WASTE**  
Is differentiated and recycled in other production cycles.



**SAFETY REQUIREMENTS: NO FIRE REACTION**  
All of Panaria's ceramic tile products are Class A building materials as described in ASTM E84 - Standard Test Method for Surface Burning Characteristics of Building Materials. This is due to the flame spread rating of (0) and smoke developed rating of (0) falling within the ranges of a Class A material. Other building codes refer to this as a Type I material in accordance with NFPA 255.



**METHANE CONSUMPTION IS HIGHLY REDUCED**  
By the use of up to date technologies and customized installations.



**LOW EMISSIONS IN THE ATMOSPHERE**  
Panaria production plant strictly complies to US Standards with a very small amount of gas emissions in the atmosphere.

Follow us on



Group Marketing & Communications - Panariagroup  
May 2024

